

Supplemental Materials to

Detecting and predicting changes in milk homogeneity using data from automatic milking systems. *Journal of Dairy Science*. 2021.

D. Anglart^{1,2*}, U. Emanuelson², L. Rönnegård^{3,4}, and C. Hallén Sandgren¹

¹DeLaval International AB, PO Box 39, SE-147 21 Tumba, Sweden

²Swedish University of Agricultural Sciences, Department of Clinical Sciences, PO Box 7054, SE-750 07 Uppsala, Sweden

³School of Technology and Business Studies, Dalarna University, SE-791 88 Falun, Sweden

⁴Swedish University of Agricultural Sciences, Department of Animal Breeding and Genetics, PO Box 7023, SE-750 07 Uppsala, Sweden

*Corresponding author: dorota.anglart@ delaval .com

Supplementary materials published by the Swedish University of Agricultural Sciences, Department of Clinical Sciences, 2021

Supplementary Table 1. The ten runs of the cow milking relative score detection model (CMRS.D)

Run number	Validation loss	Accuracy	Sensitivity	Specificity	Positive predictive value	Negative predictive value
1	0.2596268	0.9267081	0.28571	0.97463	0.45714	0.94805
2	0.2838112	0.9149068	0.28571	0.96195	0.35955	0.9474
3	0.2525614	0.9322981	0.1875	0.98798	0.53846	0.94208
4	0.2607079	0.9273292	0.20536	0.98131	0.45098	0.94291
5	0.25325	0.9354037	0.19643	0.99065	0.61111	0.94282
6	0.2881456	0.9136646	0.34821	0.95594	0.37143	0.9515
7	0.2573081	0.9322981	0.25893	0.98264	0.52727	0.94662
8	0.2558686	0.9279503	0.28571	0.97597	0.47059	0.94812
9	0.2524667	0.9310559	0.25893	0.98131	0.50877	0.94656
10	0.2582466	0.9335404	0.17857	0.98999	0.57143	0.94159
<i>median</i>	0.25778	0.92950	0.25893	0.98131	0.48968	0.94659

Supplementary Table 2. The ten runs of the cow milking relative score prediction model (CMRS.P)

Run number	Validation loss	Accuracy	Sensitivity	Specificity	Positive predictive value	Negative predictive value
1	0.237406	0.935404	0.21429	0.98932	0.6	0.94395
2	0.24881	0.928571	0.25	0.97931	0.47458	0.94584
3	0.272149	0.922981	0.29464	0.96996	0.42308	0.94843
4	0.245252	0.937888	0.16964	0.99533	0.73077	0.94129
5	0.243301	0.938509	0.19643	0.99399	0.70968	0.943
6	0.247216	0.929193	0.28571	0.9773	0.48485	0.94819
7	0.247288	0.932919	0.23214	0.98531	0.54167	0.94494
8	0.254361	0.926087	0.25	0.97664	0.44444	0.9457
9	0.258651	0.931677	0.25893	0.98198	0.51786	0.94659
10	0.258895	0.930435	0.26786	0.97997	0.5	0.9471
<i>median</i>	0.24805	0.93106	0.25000	0.98098	0.50893	0.94577

Supplementary Table S3. The ten runs of the cow period class with cutoff at 0.2 (CPC.3)

Run number	Validation loss	Accuracy	Sensitivity	Specificity	Positive predictive value	Negative predictive value
1	0.4697476	0.8436214	0.175	0.97537	0.58333	0.85714
2	0.4526056	0.8518519	0.175	0.98522	0.700	0.85837
3	0.4604417	0.8600823	0.2375	0.98276	0.73077	0.86739
4	0.4813022	0.8518519	0.275	0.96552	0.61111	0.87111
5	0.4611412	0.8477366	0.2625	0.96305	0.58333	0.86889
6	0.4534932	0.8580247	0.225	0.98276	0.720	0.86551
7	0.4900543	0.8251029	0.2	0.94828	0.43243	0.85746
8	0.4980114	0.845679	0.15	0.98276	0.63158	0.85439
9	0.4409778	0.8559671	0.3	0.96552	0.63158	0.875
10	0.4607101	0.8312757	0.3375	0.92857	0.48214	0.87674
median	0.46093	0.84979	0.23125	0.97045	0.62135	0.86645

Supplementary Table S4. The ten runs of the cow period class with cutoff at 0.4 (CPC.4)

Run number	Validation loss	Accuracy	Sensitivity	Specificity	Positive predictive value	Negative predictive value
1	0.2371007	0.9300412	0.14286	0.99113	0.55556	0.93711
2	0.2368824	0.9341564	0.14286	0.99557	0.71429	0.93737
3	0.2363323	0.9300412	0.085714	0.995565	0.600	0.933472
4	0.2401764	0.9341564	0.14286	0.99557	0.71429	0.93737
5	0.2343871	0.9320988	0.14286	0.99335	0.625	0.93724
6	0.2430616	0.936214	0.2	0.99335	0.700	0.94118
7	0.2366198	0.9320988	0.11429	0.99557	0.66667	0.93542
8	0.2406861	0.9279835	0.085714	0.993348	0.500	0.933333
9	0.256388	0.9218107	0.17143	0.98004	0.400	0.93843
10	0.242198	0.9320988	0.11429	0.99557	0.66667	0.93542
median	0.23864	0.93210	0.14286	0.99446	0.64584	0.93718